

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2896824	@ad<"19990723"	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L2	689	atpg	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L3	8331	hdl	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L4	46	@ad<"19990723" and atpg and hdl	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L5	80896	simulation	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L6	42	(@ad<"19990723" and atpg and hdl) and simulation	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L7	62048	"33" and ((simplif\$3 adj3 model) or (subset))	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L8	10	@ad<"19990723" and (simplif\$3 adj3 behavior\$3 adj3 model)	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L9	65	@ad<"19990723" and (subset near3 behavior\$3)	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L10	0	(@ad<"19990723" and (simplif\$3 adj3 behavior\$3 adj3 model)) and (@ad<"19990723" and (subset near3 behavior\$3))	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L11	0	(@ad<"19990723" and (simplif\$3 adj3 behavior\$3 adj3 model)) and atpg	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L12	0	(@ad<"19990723" and (simplif\$3 adj3 behavior\$3 adj3 model)) and hdl	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L13	0	(@ad<"19990723" and (simplif\$3 adj3 behavior\$3 adj3 model)) and simulation	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L14	18	(@ad<"19990723" and (subset near3 behavior\$3)) and simulation	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L15	2896824	@ad<"19990723"	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L16	0	@ad<"19990723" and atpg and (simplif\$3 adj3 behavior\$3 adj3 model)	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L17	168	@ad<"19990723" and ((exclud\$3 or delet\$3 or ignor\$3) near3 layout)	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L18	174	(exclud\$3 or ignor\$3) near3 layout	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L19	64	@ad<"19990723" and ((exclud\$3 or ignor\$3) near3 layout)	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L20	0	(@ad<"19990723" and ((exclud\$3 or ignor\$3) near3 layout)) and atpg	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06

L21	0	@ad<"19990723" and ((exclud\$3 or ignor\$3) near3 layout) with simulate	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L22	2896824	@ad<"19990723"	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L23	14	(simplif\$3 adj3 behavior\$3 adj3 model)	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L24	239	predefined adj subset	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L25	777	ATPG or (automatic adj test adj pattern adj generation)	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L26	111449	subset	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L27	2896824	@ad<"19990723"	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L28	189	711/102.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L29	515	711/104.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L30	488	711/108.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L31	0	@ad<"19990723" and 711/102.ccls. and 711/1104.ccls. and 711/104.ccls. and 711/108.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L32	540	@ad<"19990723" and (711/102.ccls. or 711/104.ccls. or 711/108.ccls.)	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L33	0	((@ad<"19990723" and (711/102.ccls. or 711/104.ccls. or 711/108.ccls.)) and (behavior\$5 adj model)	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L34	257	((@ad<"19990723" and (711/102.ccls. or 711/104.ccls. or 711/108.ccls.)) and timing	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L35	9	WOHL-peter.in.	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L36	2	Waicukauski-john.in.	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L37	14	((@ad<"19990723" and atpg and hdl) and simulation) and ((simplif\$3 adj3 model) or (subset))	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L38	7	(((@ad<"19990723" and atpg and hdl) and simulation) and ((simplif\$3 adj3 model) or (subset))) and primitive\$1	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L39	6	((@ad<"19990723" and (subset near3 behavior\$3)) and simulation) and hdl	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L40	42	((@ad<"19990723" and atpg and hdl) and simulation	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06

L41	1	@ad<"19990723" and (atpg same primitives)	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L42	1	@ad<"19990723" and (atpg same (library adj2 cell\$1))	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L43	264	@ad<"19990723" and atpg	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L44	21	@ad<"19990723" and atpg and ((behavior\$3 adj3 model) or (predefined adj3 subset))	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L45	359	(exclud\$3 or delet\$3 or ignor\$3) near3 layout	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L46	31	(@ad<"19990723" and ((exclud\$3 or delet\$3 or ignor\$3) near3 layout)) and simulation	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L47	16	(@ad<"19990723" and ((exclud\$3 or ignor\$3) near3 layout)) and simulat\$3	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L48	64	@ad<"19990723" and (exclud\$3 or ignor\$3) near3 layout	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L49	4	@ad<"19990723" and ((exclud\$3 or ignor\$3) near3 layout) and simulate	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L50	8	@ad<"19990723" and atpg and physical adj layout	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L51	9	WOHL-peter.in.	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L52	3	@ad<"19990723" and (predefined adj subset) and (ATPG or (automatic adj test adj pattern adj generation))	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L53	1	"5696771".pn.	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L54	199	@ad<"19990723" and 711/108.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L55	62	(@ad<"19990723" and (711/102.ccls. or 711/104.ccls. or 711/108.ccls.)) and layout	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L56	2896824	@ad<"19990723"	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L57	689	atpg	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L58	8331	hdl	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L59	46	@ad<"19990723" and atpg and hdl	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L60	80896	simulation	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L61	42	(@ad<"19990723" and atpg and hdl) and simulation	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06

L62	62048	"33" and ((simplif\$3 adj3 model) or (subset))	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L63	10	@ad<"19990723" and (simplif\$3 adj3 behavior\$3 adj3 model)	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L64	65	@ad<"19990723" and (subset near3 behavior\$3)	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L65	0	(@ad<"19990723" and (simplif\$3 adj3 behavior\$3 adj3 model)) and (@ad<"19990723" and (subset near3 behavior\$3))	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L66	0	(@ad<"19990723" and (simplif\$3 adj3 behavior\$3 adj3 model)) and atpg	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L67	0	(@ad<"19990723" and (simplif\$3 adj3 behavior\$3 adj3 model)) and hdl	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L68	0	(@ad<"19990723" and (simplif\$3 adj3 behavior\$3 adj3 model)) and simulation	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L69	18	(@ad<"19990723" and (subset near3 behavior\$3)) and simulation	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L70	2896824	@ad<"19990723"	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L71	0	@ad<"19990723" and atpg and (simplif\$3 adj3 behavior\$3 adj3 model)	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L72	168	@ad<"19990723" and ((exclud\$3 or delet\$3 or ignor\$3) near3 layout)	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L73	174	(exclud\$3 or ignor\$3) near3 layout	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L74	64	@ad<"19990723" and ((exclud\$3 or ignor\$3) near3 layout)	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L75	0	(@ad<"19990723" and ((exclud\$3 or ignor\$3) near3 layout)) and atpg	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L76	0	@ad<"19990723" and ((exclud\$3 or ignor\$3) near3 layout) with simulate	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L77	2896824	@ad<"19990723"	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L78	14	(simplif\$3 adj3 behavior\$3 adj3 model)	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L79	239	predefined adj subset	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L80	777	ATPG or (automatic adj test adj pattern adj generation)	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L81	111449	subset	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L82	2896824	@ad<"19990723"	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06

L83	189	711/102.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L84	515	711/104.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L85	488	711/108.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L86	0	@ad<"19990723" and 711/102.ccls. and 711/1104.ccls. and 711/104.ccls. and 711/108.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L87	540	@ad<"19990723" and (711/102.ccls. or 711/104.ccls. or 711/108.ccls.)	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L88	0	((@ad<"19990723" and (711/102.ccls. or 711/104.ccls. or 711/108.ccls.)) and (behavior\$5 adj model)	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L89	257	((@ad<"19990723" and (711/102.ccls. or 711/104.ccls. or 711/108.ccls.)) and timing	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L90	1	@ad<"19990723" and (atpg same primitives)	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L91	1	@ad<"19990723" and (atpg same (library adj2 cell\$1))	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L92	1	"5696771".pn.	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L93	9	WOHL-peter.in.	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L94	2	Waicukauski-john.in.	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L95	14	((@ad<"19990723" and atpg and hdl) and simulation) and ((simplif\$3 adj3 model) or (subset))	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L96	7	(((@ad<"19990723" and atpg and hdl) and simulation) and ((simplif\$3 adj3 model) or (subset))) and primitive\$1	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L97	6	((@ad<"19990723" and (subset near3 behavior\$3)) and simulation) and hdl	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L98	42	(@ad<"19990723" and atpg and hdl) and simulation	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L99	21	@ad<"19990723" and atpg and ((behavior\$3 adj3 model) or (predefined adj3 subset))	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L100	31	(@ad<"19990723" and ((exclud\$3 or delet\$3 or ignor\$3) near3 layout)) and simulation	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L101	16	(@ad<"19990723" and ((exclud\$3 or ignor\$3) near3 layout)) and simulat\$3	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06

L102	64	@ad<"19990723" and (exclud\$3 or ignor\$3) near3 layout	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L103	4	@ad<"19990723" and ((exclud\$3 or ignor\$3) near3 layout) and simulate	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L104	8	@ad<"19990723" and atpg and physical adj layout	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L105	9	WOHL-peter.in.	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L106	3	@ad<"19990723" and (predefined adj subset) and (ATPG or (automatic adj test adj pattern adj generation))	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L107	62	(@ad<"19990723" and (711/102.ccls. or 711/104.ccls. or 711/108.ccls.)) and layout	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L108	199	@ad<"19990723" and 711/108.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:06
L109	264	@ad<"19990723" and atpg	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L110	359	(exclud\$3 or delet\$3 or ignor\$3) near3 layout	US-PGPUB; USPAT	OR	ON	2005/03/12 18:06
L111	148	703/20.ccls.	USPAT	OR	ON	2005/03/12 18:06
L112	118	L56 and L111	USPAT	OR	ON	2005/03/12 18:06
L113	1	L112 and L80	USPAT	OR	ON	2005/03/12 18:06
L114	264	717/109.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:11
L115	30469	"714"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:11
L116	30724	114 or 115	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:12
L117	137	116 and 109	US-PGPUB; USPAT	OR	OFF	2005/03/12 18:12